

# CERTIFICATE



The **European Certification Body GmbH** accredited  
according to ISO/IEC 17065 awards to

**Promet Safe Ltd. (Bulgaria)**  
60 Rozova Dolina St., 6100 Kazanlak / BG

**the right to carry the ECB•S certification mark for**

Light fire storage units of protection level LFS 60 P according to EN 15659:2009 and ECB•S C10  
(Series FRS – Types NEW YORK 40, SYDNEY 40, SYDNEY 50, SYDNEY 65, SYDNEY 100, SYDNEY 120,  
SYDNEY 140, SYDNEY 165, 30, 32, 49, 51, 67, 75, 93, 120, 133 and 165)  
(see Annex)

## Certificate Number

0906/LFS10-02D

20 November 2015

valid from

20 November 2015

Frankfurt am Main

12 December 2018

valid until

  
Dr. Markus Heering

Certification Body



European Certification Body GmbH  
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany  
[www.ecb-s.com](http://www.ecb-s.com)

# ECB•S

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION  | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| <b>FRS 30</b>  |                       |            |                 |
| 3D-View Safe FRS 30  | 05810, 1/6            | 26.07.2010 | 1               |
| Sections Б-Б, В-В, Г-Г, А-А, Detail N                          | 05810, 2/6            | 26.07.2010 | 1               |
| Section O-O  | 05810, 3/6            | 26.07.2010 | 1               |
| Sections P-P, Q-Q  | 05810, 4/6            | 26.07.2010 | 1               |
| Details E, Д   | 05810, 5/6            | 26.07.2010 | 1               |
| Section K-K, Details 3, Ж                                      | 05810, 6/6            | 26.07.2010 | 1               |
| Case   | 05810.01              | 23.07.2010 | 1               |
| External case  | 05810.01.01           | 23.07.2010 | 1               |
| Internal case  | 05810.01.02           | 19.07.2010 | 1               |
| Door   | 05810.02              | 23.07.2010 | 1               |
| Door's case  | 05810.02.01           | 19.07.2010 | 1               |
| Door's front panel   | 05810.02.01.01        | 21.07.2010 | 1               |
| Inner plate  | 05810.02.01.02        | 19.07.2010 | 1               |
| Door's cover   | 05810.02.02           | 23.07.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 30 | ---                   | 23.07.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                   | ----                  | 24.06.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 1)      | 21.10.2013 | 1               |
| <b>FRS 32</b>  |                       |            |                 |
| 3D-View Safe FRS 32  | 05811, 1/6            | 03.09.2010 | 1               |
| Sections Б-Б, В-В, Г-Г, А-А, Detail N                          | 05811, 2/6            | 03.09.2010 | 1               |
| Section O-O  | 05811, 3/6            | 03.09.2010 | 1               |
| Sections P-P, Q-Q  | 05811, 4/6            | 03.09.2010 | 1               |
| Details E, Д   | 05811, 5/6            | 03.09.2010 | 1               |
| Section K-K, Details 3, Ж                                      | 05811, 6/6            | 03.09.2010 | 1               |
| Case   | 05811.01              | 02.11.2010 | 1               |
| External case  | 05811.01.01           | 02.11.2010 | 1               |
| Internal case  | 05811.01.02           | 02.11.2010 | 1               |

continued on page 2

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION  | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| Door   | 05811.02              | 02.11.2010 | 1               |
| Door's case  | 05811.02.01           | 02.11.2010 | 1               |
| Door's front panel   | 05811.02.01.01        | 02.11.2010 | 1               |
| Inner plate  | 05811.02.01.02        | 02.11.2010 | 1               |
| Door's cover   | 05811.02.02           | 02.11.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 32 | --                    | 30.08.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                   | ---                   | 24.06.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 2)      | 21.10.2013 | 1               |
| <b>FRS 49</b>  |                       |            |                 |
| 3D-View Safe FRS 49  | 05812, 1/6            | 07.09.2010 | 1               |
| Sections A-A, Б-Б, В-В, Г-Г,                                   | 05812, 2/6            | 07.09.2010 | 1               |
| Section O-O  | 05812, 3/6            | 07.09.2010 | 1               |
| Sections P-P, Q-Q  | 05812, 4/6            | 07.09.2010 | 1               |
| Details E, Д   | 05812, 5/6            | 07.09.2010 | 1               |
| Section K-K, Details 3, Ж                                      | 05812, 6/6            | 07.09.2010 | 1               |
| Case   | 05812.01              | 03.11.2010 | 1               |
| External case  | 05812.01.01           | 03.11.2010 | 1               |
| Internal case  | 05812.01.02           | 03.11.2010 | 1               |
| Door   | 05812.02, 1/2         | 03.11.2010 | 1               |
| Door   | 05812.02, 2/2         | 03.11.2010 | 1               |
| Door's case  | 05812.02.01           | 03.11.2010 | 1               |
| Door's front panel   | 05812.02.01.01        | 03.11.2010 | 1               |
| Inner plate  | 05812.02.01.02        | 03.11.2010 | 1               |
| Door's cover   | 05812.02.02           | 03.11.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 49 | --                    | 30.08.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                   | ---                   | 24.06.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 3)      | 21.10.2013 | 1               |

continued on page 3

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION  | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| <b>FRS 51</b>  |                       |            |                 |
| 3D-View Safe FRS 51  | 05813, 1/6            | 21.07.2010 | 1               |
| Sections A-A, B-B, C-C, D-D,                                   | 05813, 2/6            | 21.07.2010 | 1               |
| Section O-O  | 05813, 3/6            | 21.07.2010 | 1               |
| Section G-G  | 05813, 4/6            | 21.07.2010 | 1               |
| Details E, F   | 05813, 5/6            | 21.07.2010 | 1               |
| Section K-K, Details H, I                                      | 05813, 6/6            | 21.07.2010 | 1               |
| Case   | 05813.01              | 21.07.2010 | 1               |
| External case  | 05813.01.01           | 21.07.2010 | 1               |
| Internal case  | 05813.01.02           | 21.07.2010 | 1               |
| Door   | 05813.02, 1/2         | 21.07.2010 | 1               |
| Door, Section C-C  | 05813.02, 2/2         | 21.07.2010 | 1               |
| Door's case  | 05813.02.01           | 21.07.2010 | 1               |
| Door's front panel   | 05813.02.01.01        | 21.07.2010 | 1               |
| Inner plate  | 05813.02.01.02        | 21.07.2010 | 1               |
| Door's cover   | 05813.02.02           | 21.07.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 51 | --                    | 20.07.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                   | ---                   | 21.07.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 4)      | 21.10.2013 | 1               |
| <b>FRS 67</b>  |                       |            |                 |
| 3D-View Safe FRS 67  | 05814, 1/6            | 02.09.2010 | 1               |
| Sections B-B, C-C, D-D, F-F, P-P, Detail E                     | 05814, 2/6            | 02.09.2010 | 1               |
| Details I, J, K  | 05814, 3/6            | 02.09.2010 | 1               |
| Sections T-T   | 05814, 4/6            | 02.09.2010 | 1               |
| Details L, Sections M-M  | 05814, 5/6            | 02.09.2010 | 1               |
| Details N, O   | 05814, 6/6            | 02.09.2010 | 1               |
| Case   | 05814.01              | 23.07.2010 | 1               |
| External case  | 05814.01.01           | 02.09.2010 | 1               |

continued on page 4

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION  | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| Internal case  | 05814.01.02           | 22.07.2010 | 1               |
| Plinth   | 05814.01.03           | 22.07.2010 | 1               |
| Door   | 05814.02, 1/2         | 30.08.2010 | 1               |
| Door, Section B-B  | 05814.02, 2/2         | 30.08.2010 | 1               |
| Door's case  | 05814.02.01           | 30.08.2010 | 1               |
| Door's front panel   | 05814.02.01.01        | 30.08.2010 | 1               |
| Inner plate  | 05814.02.01.02        | 30.08.2010 | 1               |
| Door's cover   | 05814.02.02           | 02.09.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 67 | --                    | 30.08.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                   | ---                   | 24.06.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 5)      | 21.10.2013 | 1               |
| <b>FRS 75</b>  |                       |            |                 |
| 3D-View Safe FRS 75  | 05815, 1/7            | 01.09.2010 | 1               |
| Section A-A  | 05815, 2/7            | 01.09.2010 | 1               |
| Section B-B  | 05815, 3/7            | 01.09.2010 | 1               |
| Details C, D   | 05815, 4/7            | 01.09.2010 | 1               |
| Detail H   | 05815, 5/7            | 01.09.2010 | 1               |
| Sections J-J, K-K  | 05815, 6/7            | 01.09.2010 | 1               |
| Sections E-E, F-F, I-I, Detail L                               | 05815, 7/7            | 01.09.2010 | 1               |
| Case   | 05815.01              | 03.11.2010 | 1               |
| External case  | 05815.01.01           | 03.11.2010 | 1               |
| Internal case  | 05815.01.02           | 03.11.2010 | 1               |
| Door   | 05815.02              | 03.11.2010 | 1               |
| Door's case  | 05815.02.01           | 03.11.2010 | 1               |
| Door's front panel   | 05815.02.01.01        | 03.11.2010 | 1               |
| Inner plate  | 05815.02.01.02        | 03.11.2010 | 1               |
| Door's cover   | 05815.02.02           | 03.11.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 75 | --                    | 30.08.2010 | 2               |

continued on page 5

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION  | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| Formula "Gas concrete Nr. 8"                                   | ---                   | 24.06.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 6)      | 21.10.2013 | 1               |
| <b>FRS 93</b>  |                       |            |                 |
| 3D-View Safe FRS 93  | 05816, 1/7            | 25.08.2010 | 1               |
| Section A-A  | 05816, 2/7            | 16.08.2010 | 1               |
| Section B-B  | 05816, 3/7            | 16.08.2010 | 1               |
| Sections C, D  | 05816, 4/7            | 16.08.2010 | 1               |
| Sections H, G  | 05816, 5/7            | 16.08.2010 | 1               |
| Sections J-J, K-K  | 05816, 6/7            | 16.08.2010 | 1               |
| Sections E-E, F-F, I-I, Detail L                               | 05816, 7/7            | 16.08.2010 | 1               |
| Case   | 05816.01              | 23.06.2010 | 1               |
| External case  | 05816.01.01           | 23.06.2010 | 1               |
| Internal case  | 05816.01.02           | 23.06.2010 | 1               |
| Door   | 05816.02              | 23.06.2010 | 1               |
| Door's case  | 05816.02.01           | 23.06.2010 | 1               |
| Door's front panel   | 05816.02.01.01        | 23.06.2010 | 1               |
| Inner plate  | 05816.02.01.02        | 23.06.2010 | 1               |
| Door's cover   | 05816.02.02           | 23.06.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 93 | --                    | 20.07.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                   | ---                   | 24.06.2010 | 1               |
| Varying the thickness of the metal                             | 13979 (Anlage 7)      | 21.10.2013 | 1               |
| <b>FRS 120</b>   |                       |            |                 |
| 3D-View Safe FRS 120   | 05817, 1/1            | 18.08.2010 | 1               |
| Section A-A  | 05817, 1/6            | 19.08.2010 | 1               |
| Section B-B  | 05817, 2/6            | 19.08.2010 | 1               |
| Details C, D   | 05817, 3/6            | 19.08.2010 | 1               |
| Details H, G   | 05817, 4/6            | 19.08.2010 | 1               |

continued on page 6

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION   | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|---|-----------------------|------------|-----------------|
| Sections J-J, K-K   | 05817, 5/6            | 19.08.2010 | 1               |
| Sections E-E, F-F, I-I, Detail L                                | 05817, 6/6            | 19.08.2010 | 1               |
| Case  | 05817.01              | 22.09.2010 | 1               |
| External case   | 05817.01.01           | 22.09.2010 | 1               |
| Internal case   | 05817.01.02           | 22.09.2010 | 1               |
| Door  | 05817.02              | 22.09.2010 | 1               |
| Door's case   | 05817.02.01           | 22.09.2010 | 1               |
| Door's front panel  | 05817.02.01.01        | 22.09.2010 | 1               |
| Inner plate   | 05817.02.01.02        | 22.09.2010 | 1               |
| Door's cover  | 05817.02.02           | 22.09.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 120 | --                    | 19.08.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                    | ---                   | 24.06.2010 | 1               |
| <b>FRS 133</b>  |                       |            |                 |
| 3D-View Safe FRS 133  | 05818, 1/1            | 08.11.2010 | 1               |
| Section A-A   | 05818, 1/6            | 08.11.2010 | 1               |
| Section B-B   | 05818, 2/6            | 08.11.2010 | 1               |
| Sections C, D   | 05818, 3/6            | 08.11.2010 | 1               |
| Sections H, G   | 05818, 4/6            | 08.11.2010 | 1               |
| Sections J-J, K-K   | 05818, 5/6            | 08.11.2010 | 1               |
| Sections E-E, F-F, I-I, Detail L                                | 05818, 6/6            | 08.11.2010 | 1               |
| Case  | 05818.01              | 09.11.2010 | 1               |
| External case   | 05818.01.01           | 09.11.2010 | 1               |
| Internal case   | 05818.01.02           | 09.11.2010 | 1               |
| Door  | 05818.02              | 09.11.2010 | 1               |
| Door's case   | 05818.02.01           | 09.11.2010 | 1               |
| Door's front panel  | 05818.02.01.01        | 09.11.2010 | 1               |
| Inner plate   | 05818.02.01.02        | 09.11.2010 | 1               |
| Door's cover  | 05818.02.02           | 09.11.2010 | 1               |

continued on page 7

Promet Safe Ltd. (Bulgaria), Kazanlak / BG

SURVEY – Technical documentation (series FRS)

| TECHNICAL DOCUMENTATION   | FILE NAME OF DOCUMENT | DATE       | NUMBER OF PAGES |
|---|-----------------------|------------|-----------------|
| Material list for tests and expert opinions, Safe Model FRS 133 | ---                   | 23.07.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                    | ---                   | 24.06.2010 | 1               |
| <b>FRS 165</b>  |                       |            |                 |
| 3D-View Safe FRS 165  | 05819, 1/1            | 20.08.2010 | 1               |
| Section A-A   | 05819, 1/6            | 20.08.2010 | 1               |
| Section B-B   | 05819, 2/6            | 20.08.2010 | 1               |
| Sections C, D   | 05819, 3/6            | 20.08.2010 | 1               |
| Sections H, G   | 05819, 4/6            | 20.08.2010 | 1               |
| Sections J-J, K-K   | 05819, 5/6            | 20.08.2010 | 1               |
| Sections E-E, F-F, I-I, Detail L                                | 05819, 6/6            | 20.08.2010 | 1               |
| Case  | 05819.01              | 22.09.2010 | 1               |
| External case   | 05819.01.01           | 22.09.2010 | 1               |
| Internal case   | 05819.01.02           | 22.09.2010 | 1               |
| Door  | 05819.02              | 22.09.2010 | 1               |
| Door's case   | 05819.02.01           | 22.09.2010 | 1               |
| Door's front panel  | 05819.02.01.01        | 22.09.2010 | 1               |
| Inner plate   | 05819.02.01.02        | 22.09.2010 | 1               |
| Door's cover  | 05819.02.02           | 22.09.2010 | 1               |
| Material list for tests and expert opinions, Safe Model FRS 165 | --                    | 19.08.2010 | 2               |
| Formula "Gas concrete Nr. 8"                                    | ---                   | 24.06.2010 | 1               |
| Anlage (annex) 1-5, 7, 9-14                                     | of 18527/2013         | 14.01.2015 | 12              |

NOTE: The maximum difference in internal dimensions (width and depth of the storage space measured from wall to wall) of the series products compared to the ECB•S certified light fire storage units is  $\pm 15\%$ .